

	Ref #	Type	Hits	Search Text	DBs
4	S4	BRS	14047	coil and (flash flashes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	S5	BRS	248	coil and (flash flashes) and bobbin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	S6	BRS	58	bobbin same (flash flashes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	S7	BRS	35	(bobbin same (flash flashes)) and coil	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	S8	BRS	6	(coil wire) and insluation and (thickness width)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	S9	BRS	38992	(coil wire) same (coating layer insluation) same (thickness width)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	S10	BRS	929	(coil wire) same (coating layer insluation) same (thickness width) and bobbin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	S11	BRS	322	(coil wire) same ((coating layer insluation) near3 (thickness width)) and bobbin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	S12	BRS	6	(coil wire) same ((coating layer insluation) near3 (thickness width)) and bobbin and flash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Type	Hits	Search Text	DBs
13	S13	BRS	6	(coil wire) same ((coating layer insulation) near3 (thickness width)) and bobbin and (flash flashes flashing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	S14	BRS	6	(coil wire) same (coating layer insulation) same (thickness width) and bobbin and (flash flashes flashing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	S15	BRS	14	(coil wire) same (coating layer insulation) and bobbin same (flash flashes flashing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	S16	BRS	3	335/299.ccls. and flash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	S17	BRS	3	"3851830".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	S18	BRS	14	"3851830".URPN.	USPAT
19	S19	BRS	21138 1	(coil wire) and (insluat\$4 coating layer) and (thickness width)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	S20	BRS	23561 4	(coil wire winding) and (insluat\$4 coating layer) and (thickness width)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Type	Hits	Search Text	DBs
21	S21	BRS	10	("3851830".pn. "3851830".URPN.) and ((coil wire winding) and (insluat\$4 coating layer) and (thickness width))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	S22	BRS	46086	(coil wire winding) same (insluat\$4 coating layer) same (thickness width)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	S23	BRS	6	("3851830".pn. "3851830".URPN.) and ((coil wire winding) same (insluat\$4 coating layer) same (thickness width))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	S24	BRS	12613	(coil wire winding) same (insluat\$4 coating) same thickness	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	S25	BRS	4697	(coil wire winding) same (insluat\$4 coating) near3 thickness	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	S26	BRS	890	(coil wire winding) near3 (insluat\$4 coating) near3 thickness	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	S27	BRS	57627	"335"/\$.ccls. "336"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	S28	BRS	24	((coil wire winding) near3 (insluat\$4 coating) near3 thickness) and ("335"/\$.ccls. "336"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Type	Hits	Search Text	DBs
29	S29	BRS	419	(coil wire winding) adj3 (insluat\$4 coating) adj3 thickness	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	S30	BRS	561	((coil wire winding) near3 (insluat\$4 coating)) and ("335"/\$.ccls. "336"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	S31	BRS	24769 35	coating housing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	S32	BRS	560	((coil wire winding) near3 (insluat\$4 coating)) and ("335"/\$.ccls. "336"/\$.ccls.)) and (coating housing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	S33	BRS	2	"20020050899"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	S34	BRS	1	(coil wire) same ((coating layer insulation) same ("thermoset epoxy" and enamel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	S35	BRS	17	(coil wire) and (coating layer insulation) and "thermoset epoxy" and enamel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	S36	BRS	17	(coil wire conductor) and (coating layer insulation) and "thermoset epoxy" and enamel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Type	Hits	Search Text	DBs
37	S37	BRS	26	(coating layer insluation) and "thermoset epoxy" and enamel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	S38	BRS	767	(coating layer insluation) and thermoset and enamel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	S39	BRS	34	(coil wire conductor) same (coating layer insluation) same (thermoset and enamel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	S40	BRS	34	((coil wire conductor) same (coating layer insluation)) same (thermoset and enamel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	S41	BRS	27	(thermoset adj epoxy) and enamel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	S42	IS&R	2176	(336/90,198).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	S43	BRS	33404	coil and cover and (mold molded molding)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	S44	BRS	148	S42 and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Type	Hits	Search Text	DBs
45	S45	BRS	2871	coil same cover same (mold molded molding)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	S46	BRS	42	S42 and S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	S47	BRS	15	("3430174" "3953099" "4256920" "4284312" "5153550" "5173053").PN. OR ("5710535").URPN.	US-PGPUB; USPAT; USOCR
48	S49	BRS	1	"2000262024"	JPO
49	S50	IS&R	319	(310/257).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	S51	BRS	1183	h02k015/\$ and inject\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	S52	IS&R	1223	(310/43).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	S53	IS&R	2003	(310/49r).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	S54	IS&R	3009	(310/12).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Type	Hits	Search Text	DBs
54	S55	IS&R	428	(310/80).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	S56	BRS	6729	S50 S52 S53 S54 S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	S57	BRS	541	S56 and inject\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	S58	BRS	358	S57 and coil	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	S59	BRS	857	S56 and (inject\$ mold\$) and coil	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	S60	BRS	235	silicon with bobbin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	S61	BRS	315	lubric\$5 with bobbin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	S62	BRS	43	S61 same (conductor wire)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Type	Hits	Search Text	DBs
62	S63	BRS	44	("2975307" "3940935" "4150544" "4579006" "4586335" "4920255" "4977886" "5015833" "5144120" "5172551" "5245172" "5266787" "5312152" "5344506" "5386105" "5397885" "5414940" "5556370" "5563466" "5581068" "5679941" "5685148" "5763979" "5901554" "6218762" "6326707" "6574958").PN. OR ("5979760" "6832477").URPN.	US-PGPUB; USPAT; USOCR
63	S64	BRS	680	335/299.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	S65	IS&R	2267	(336/90,198).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB